



DELHI POLLUTION CONTROL COMMITTEE  
DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI)  
4<sup>th</sup> & 5<sup>th</sup> FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-6  
( visit us at website : <http://dpcc.delhigovt.nic.in/> )

F. No. DPCC/ WMC-I | 2018 | 13947 to 49

Dated: 03/07/2019

To,

M/s V. K. Plastic Enterprises,  
96/6, Arya Nagar Industrial Area, Loni,  
Ghaziabad, U.P. 201102

**Subject: AUTHORISATION FOR OPERATING A FACILITY UNDER SECTION 18 (6) & (7) OF HAZARDOUS & OTHER WASTES (MANAGEMENT & TRANSBOUNDARY MOVEMENT) RULES, 2016 FOR COLLECTION AND TRANSPORTATION OF SPENT X-RAY FIXER (HYPO) SOLUTION GENERATED FROM HEALTHCARE FACILITIES SITUATED IN DELHI TO THEIR RECYCLING UNIT LOCATED AT 96/6, ARYA NAGAR INDUSTRIAL AREA, LONI, GHAZIABAD, U.P.**

1. Number of authorisation and date of issue : DPCC/WMC I/HW/Auth./01 dated 03/07/2019
2. Reference of application (No. and date) : VKPLAS/BMW/2019/01-09 dated 18/01/2019
3. M/s V. K. Plastic Enterprises, is hereby granted authorisation under section 18(6) and 18(7) of Hazardous & Other Wastes (Management & Trans boundary Movement) Rules, 2016 for collection and transportation of Spent X- ray Fixer (Hypo) Solution from the hospitals located in Delhi and for re-utilization/ recycling of the waste in its facility at 96/6, Ground and first floor, Arya Nagar Indl. Area, Loni, Ghaziabad, U.P. 201102.

#### Details of Authorisation

Sl. No.	Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of recycling/ utilisation	Quantity (ton/annum)
1.	Spent X Ray Fixer (Hypo) Solution (Cat. A9 of Schedule II)	As per para 19.4 to 19.8 of Standard Operating Procedure published by CPCB for this waste.	300

- (4) The authorisation shall be valid for a period of 5 years i.e. upto 17/01/2024.
- (5) 'No Objection Certificate' is also hereby granted as per Rule 18(3) of the Hazardous & Other Wastes (Management & Trans boundary Movement) Rules, 2016 for transportation of Spent X ray Fixer (Hypo) Solution from Delhi to Ghaziabad, U.P.
- (6) This authorisation is subject to the following conditions:

#### A. General conditions of authorisation:

1. Spent X- ray Fixer (Hypo) Solution shall be collected only from the Health Care Facilities having valid Consent to Operate under Air (Prevention & Control of Pollution) Act, 1981

Contd on 2..

and under Water (Prevention & Control of Pollution) Act, 1974 & Authorization under the Biomedical Waste Management Rules, 2016.

2. The unit shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
3. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the Delhi Pollution Control Committee.
4. The Spent fixer (hypo) solution shall be procured only in closed tankers/HDPE drums.
5. While transporting the Spent X-ray Fixer (Hypo) Solution from Delhi to Ghaziabad, the unit shall follow guidelines for the transportation of hazardous waste and the Central Motor Vehicle Act, 1988, SOP for Spent X-ray Fixer (Hypo) Solution and other guidelines issued by Central Pollution Control Board from time to time.
6. The unit (receiver-cum-transporter) shall follow the manifest system as stipulated under Rule 19 of the Hazardous & Other Wastes (Management & Trans-boundary Movement) Rules, 2016 and submit copy 7(Grey colour) of the manifest to DPCC.
7. The unit shall submit quarterly and annual information on the spent x-ray fixer (hypo) solution consumed, its source from Delhi, products generated or resources conserved (specifying the details like type and quantity of resources conserved) to DPCC.
8. The authorization may be treated as cancelled if the Consent to Operate under Air (Prevention & Control of Pollution) Act, 1981 and under Water (Prevention & Control of Pollution) Act, 1974 & Authorization under the Biomedical Waste Management Rules, 2016 granted by U. P. Pollution Control Board expires or revoked/cancelled.
9. An application for the renewal of an authorisation shall be made at least one month in advance before expiry of this authorization.
10. The unit shall abide by any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time and the U.P. State Pollution Control Board.
11. Annual return shall be filed the unit by June 30<sup>th</sup> of the current year for the previous financial year.

Date: 03/07/2019

Copy to:

1. Member Secretary, U.P State Pollution Control Board: with a request to consider issuing 'NOC' to M/s V. K. Plastic Enterprises under Rule 18(3) of Hazardous & Other Wastes (Management & Trans-boundary Movement) Rules, 2016 for transportation of Spent X-ray Fixer (Hypo) waste solution after collecting the same from hospitals in Delhi to its facility in Ghaziabad for reutilization/ recycling of the waste. Cancellation of authorization or other adverse action on the unit in future, if any, may kindly be intimated to DPCC.

2. IT cell, DPCC : to upload the authorization on website of DPCC

(Ajeeta Dayal Agrawal)

AJEETA DAYAL AGRAWAL  
Senior Environmental Engineer  
Delhi Pollution Control Committee  
4th & 5th Floor, TSBY Building,  
Kashmere Gate, New Delhi-110006